



# भाकृअनुप - भारतीय तेल ताड अनुसंधान संस्थान

ICAR - Indian Institute of Oil Palm Research

पेदवेगी - 534 450, एलुरु ज़िला, आन्ध्र प्रदेश

Pedavegi - 534 450, Eluru Dt., Andhra Pradesh

Phone: 08812 259532/524; Fax: 08812-259531; Email: director.iiopr@icar.gov.in; Website: <https://iiopr.icar.gov.in>



Farmers FIRST Programme

## OIL PALM CROP MONTHLY ADVISORY

Use of drone for spraying operation in oil palm



Harvesting of oil palm bunches with Aluminium pole attached with sickle



**JANUARY**

**2023**

**FEBRUARY**

SUN	MON	TUE	WED	THU	FRI	SAT
1 <small>English New Year's Day</small>	2	3	4	5	6	7
8	9	10	11	12	13	14 <small>Makara Sankranthi/Magha Bihu</small>
15 <small>Pongal</small>	16	17	18	19	20	21
22	23	24	25	26 <small>Republic Day Basanta Panchami/Shree</small>	27	28
29	30	31				

SUN	MON	TUE	WED	THU	FRI	SAT
1	2	3	4	5	6	7
5 <small>Hazarat Ali's and Guru Ravidas's Birthday</small>	6	7	8	9	10	11
12	13	14	15 <small>Dayananda Saraswati Jayanti</small>	16	17	18 <small>Maha Shivaratri</small>
19 <small>Shivaji's Jayanti ICAR-IIOPR Foundation Day</small>	20	21	22	23	24	25
26	27	28				

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Provide irrigation @ 160 liters per palm per day in adult plantations.
- Apply weedicide in the palm basin with Glufosinate ammonium / Paraquat @ 2.5 ml/ liter of water.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Mulch with shredded leaves, male inflorescence and empty fruit bunches in the palm basin.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.
- Don't plough in oil palm basin.**

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Provide irrigation @ 200 liters per palm per day in adult plantations.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Apply micronutrients Magnesium sulphate @ 250g/palm and Borax @ 50g/palm.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Mulch with shredded leaves, male inflorescence and empty fruit bunches in the palm basin.
- Monitor bag worm / leaf web worm / slug caterpillar, if observed apply lambda cyhalothrin @ 1ml/ lit of water.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.
- Don't plough in oil palm basin.**



# भारतीय अनुप - भारतीय तेल ताड अनुसंधान संस्थान

ICAR - Indian Institute of Oil Palm Research

पेदवेगी - 534 450, एलुरु ज़िला, आन्ध्र प्रदेश

Pedavegi - 534 450, Eluru Dt., Andhra Pradesh

Phone: 08812 259532/524; Fax: 08812-259531; Email: director.iiopr@icar.gov.in; Website: <https://iiopr.icar.gov.in>



Farmers FIRST Programme

## OIL PALM CROP MONTHLY ADVISORY

Collection of soil sample from farmers field for nutrient analysis



Fertigation in oil palm



**MARCH**

**2023**

**APRIL**

SUN	MON	TUE	WED	THU	FRI	SAT
			<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>
<b>5</b>	<b>6</b>	<b>7</b> Holika Dahan/ Dolyatra	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>
<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>
<b>19</b>	<b>20</b>	<b>21</b>	<b>22</b> Ugadi	<b>23</b>	<b>24</b>	<b>25</b>
<b>26</b>	<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b>	<b>31</b>	Rama Navami

SUN	MON	TUE	WED	THU	FRI	SAT
			<b>30</b>			<b>1</b>
			<b>2</b>	<b>3</b>	<b>4</b> Mahavir Jayanthi	<b>5</b>
			<b>6</b>	<b>7</b> Good Friday	<b>8</b>	
			<b>9</b> Easter Sunday	<b>10</b>	<b>11</b>	<b>12</b>
			<b>13</b>	<b>14</b> Vaisakhi/Vishu/ Meshadi	<b>15</b> Vaisakhi/Bahad Bihu (Assam)	
			<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>
			<b>20</b>	<b>21</b> Jamat-Ul-Vida	<b>22</b> Id ul Fitr (Ramzan)*	<b>23</b>
			<b>24</b>	<b>25</b>	<b>26</b>	<b>27</b>
			<b>28</b>	<b>29</b>		

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Provide irrigation @ 250 liters per palm per day in adult plantations.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Mulch with shredded leaves, male inflorescence and empty fruit bunches in the palm basin.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.
- Basal application of fertilizer @ Urea 650 gms, SSP 940 gms, MOP 500 gms per palm or as per soil and leaf nutrient analysis may be adopted in adult oil palm plantations.
- Don't plough in oil palm basin.

### PRACTICES TO BE ADOPTED

- Sow sunhemp as a green manure crop in the palm basin during juvenile period.
- Provide irrigation @ 265 liters per palm per day in adult plantations.
- Apply weedicide in the palm basin with Glufosinate ammonium/ Paraquat @ 2.5 ml / liter of water.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Mulch with shredded leaves, male inflorescence and empty fruit bunches in the palm basin.
- Collect soil & leaf sample and send for analysis.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.
- Don't plough in oil palm basin.



# भाकृअनुप - भारतीय तेल ताड अनुसंधान संस्थान

ICAR - Indian Institute of Oil Palm Research

पेदवेंगी - 534 450, एलुरु ज़िला, आन्ध्र प्रदेश

Pedavegi - 534 450, Eluru Dt., Andhra Pradesh

Phone: 08812 259532/524; Fax: 08812-259531; Email: director.iiopr@icar.gov.in; Website: <https://iiopr.icar.gov.in>



Farmers FIRST Programme

## OIL PALM CROP MONTHLY ADVISORY

Shredding of oil palm fronds with chaffcutter and mulching them in oil palm basin



Heliconia grown as an intercrop in oilpalm



# MAY

SUN	MON	TUE	WED	THU	FRI	SAT
1	2	3	4	5	6	
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

# 2023

SUN	MON	TUE	WED	THU	FRI	SAT
					1	2
					3	
					4	5
					6	7
					8	9
					10	
					11	12
					13	14
					15	16
					17	
					18	19
					20	21
					22	23
					24	
					25	26
					27	28
					29	30

# JUNE

### PRACTICES TO BE ADOPTED

- Sow green manure crop-Sunhemp with in the basin in juvenile plantation.
- Provide irrigation @ 265 liters per palm per day in adult plantations, under severe summer situation provide 350 liters per palm per day.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Mulch with shredded leaves, male inflorescence and empty fruit bunches in the palm basin.
- Need based leaf pruning and retain minimum of 35 leaves per palm.
- Collect soil & leaf sample and send for analysis, if not collected in April.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Provide irrigation @ 220 liters per palm per day in adult plantations (or) as per requirement based on rainfall/ available moisture.
- Harvest sunhemp and keep as mulch in the palm basin
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Basal application of fertilizer @ Urea 650 gms, SSP 940 gms, MOP 500 gms per palm or as per soil and leaf nutrient analysis may be adopted in adult oil palm plantations.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Apply chlorothalonil @ 10g/lit of water (100-250 ml of solution in the crown region) to manage bud rot.
- Keep 20 grams of naphthalene balls in perforated sachets in the crown to manage Rhinoceros beetle.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.



# भाकृअनुप - भारतीय तेल ताड अनुसंधान संस्थान

ICAR - Indian Institute of Oil Palm Research

पेदवेगी - 534 450, एलुरु ज़िला, आन्ध्र प्रदेश

Pedavegi - 534 450, Eluru Dt., Andhra Pradesh


Phone: 08812 259532/524; Fax: 08812-259531; Email: director.iiopr@icar.gov.in; Website: <https://iiopr.icar.gov.in>



Farmers FIRST Programme

## OIL PALM CROP MONTHLY ADVISORY

Removal of inflorescence in 1-3 years of oil palm plantations with ablation tool



**JULY**

**2023**

**AUGUST**

SUN MON TUE WED THU FRI SAT

**30** **31**

**2** **3** **4** **5** **6** **7** **8**

**9** **10** **11** **12** **13** **14** **15**

**16** **17** **18** **19** **20** **21** **22**

**23** **24** **25** **26** **27** **28** **29**

ICAR Foundation Day

**1**

**6** **7** **8** **9** **10** **11** **12**

**13** **14** **15** **16** **17** **18** **19**

**20** **21** **22** **23** **24** **25** **26**

**27** **28** **29** **30** **31**

Muharram\*

SUN MON TUE WED THU FRI SAT

**1** **2** **3** **4** **5**

**6** **7** **8** **9** **10** **11** **12**

**13** **14** **15** **16** **17** **18** **19**

Independence Day

Parsi New Year's Day/Nauraj

Raksha Bandhan

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Provide irrigation @ 120 liters per palm per day in adult plantations (or) as per requirement based on rainfall/ available moisture.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Apply chlorothalonil @ 10g/lit of water (100-250 ml of solution in the crown region) to manage bud rot.
- Keep 20 grams of naphthalene balls in perforated sachets in the crown to manage Rhinoceros beetle.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Provide irrigation @ 100 liters per palm per day in adult plantations (or) as per requirement based on rainfall/ available moisture.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Apply micronutrients Magnesium sulphate @ 250g/palm and Borax @ 50g/palm.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Mulch with shredded leaves, male inflorescence and empty fruit bunches in the palm basin.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.



# भाकृअनुप - भारतीय तेल ताड अनुसंधान संस्थान

ICAR - Indian Institute of Oil Palm Research

पेदवेगी - 534 450, एलुरु ज़िला, आन्ध्र प्रदेश

Pedavegi - 534 450, Eluru Dt., Andhra Pradesh

Phone: 08812 259532/524; Fax: 08812-259531; Email: director.iiopr@icar.gov.in; Website: <https://iiopr.icar.gov.in>



Farmers FIRST Programme

## OIL PALM CROP MONTHLY ADVISORY

Rearing of fish in unused farm ponds in oil palm and coconut plantations



Application of biocontrol agents with turbo sprayer



# SEPTEMBER

# 2023

# OCTOBER

SUN	MON	TUE	WED	THU	FRI	SAT
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

Janmastami  
Milad-Un-Nabi or  
Id-E-Milad\*

SUN	MON	TUE	WED	THU	FRI	SAT
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28

Mahatma Gandhi's  
Birthday  
Dussehra  
(Maha Ashtami)  
Dussehra  
(Maha Navami)  
Dussehra (Vijaya  
Dashami)  
29  
30  
31  
Maharishi Valmiki's  
birthday

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Provide irrigation @ 145 liters per palm per day in adult plantations (or) as per requirement based on rainfall/ available moisture.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Basal application of fertilizer @ Urea 650 gms, SSP 940 gms, MOP 500 gms per palm or as per soil and leaf nutrient analysis may be adopted in adult oil palm plantations.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Mulch with shredded leaves, male inflorescence and empty fruit bunches in the palm basin.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Monitor bag worm / leaf eating caterpillar, if observed apply lambda cyhalothrin @ 1ml/ lit of water.
- Provide irrigation @ 140 liters per palm per day in adult plantations (or) as per requirement based on rainfall/ available moisture.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.
- Intercrop in juvenile plantations.
- Don't plough in the palm basin, don't cut the leaves, don't tie the leaves and don't plant intercrops in the palm basin.**



# भाकृअनुप - भारतीय तेल ताड अनुसंधान संस्थान

ICAR - Indian Institute of Oil Palm Research

पेदवेंगी - 534 450, एलुरु ज़िला, आन्ध्र प्रदेश

Pedavegi - 534 450, Eluru Dt., Andhra Pradesh

Phone: 08812 259532/524; Fax: 08812-259531; Email: director.iiopr@icar.gov.in; Website: <https://iiopr.icar.gov.in>



Farmers FIRST Programme

## OIL PALM CROP MONTHLY ADVISORY

Shredded oil palm frond material used in vermicompost beds



Demonstration of Brush cutter for weed management



**NOVEMBER**

**2023**

**DECEMBER**

SUN MON TUE WED THU FRI SAT

<b>1</b> Karaka Chaturthi	<b>2</b>	<b>3</b>	<b>4</b>			
<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>
<b>12</b> Diwali (Deepavali)	<b>13</b> Govardhan Puja	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>
<b>19</b> Prathar Sashthi or Surya Sashthi (Chhat Puja)	<b>20</b>	<b>21</b>	<b>22</b>	<b>23</b>	<b>24</b> Guru Teg Bahadur's Martyrdom Day	<b>25</b>
<b>26</b> Guru Nanak's Birthday	<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b>		

SUN MON TUE WED THU FRI SAT

<b>31</b>						
<b>1</b>	<b>2</b>					
<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>
<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>	<b>22</b>	<b>23</b> National Farmers Day
<b>24</b>	<b>25</b>	<b>26</b>	<b>27</b>	<b>28</b>	<b>29</b>	<b>30</b>

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Apply chlorothalonil @ 10g/lit of water (100-250 ml of solution in the crown region) to manage bud rot.
- Keep 20 grams of naphthalene balls in perforated sachets in the crown to manage Rhinoceros beetle.
- Collect soil & leaf sample and send for analysis, if not collected in April/ May.
- Provide irrigation @ 170 liters per palm per day in adult plantations (or) as per requirement based on rainfall/ available moisture.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Mulch with shredded leaves, male inflorescence and empty fruit bunches in the palm basin.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5cm bunch stalk while harvesting.
- Don't cut and Don't tie the leaves**

### PRACTICES TO BE ADOPTED

- Plant oil palm with 9 m spacing in hexagonal or square method with assured irrigation.
- Apply chlorothalonil @ 10g/lit of water (100-250 ml of solution in the crown region) to manage bud rot.
- Provide irrigation @ 160 liters per palm per day in adult plantations (or) as per requirement based on rainfall/ available moisture.
- Monthly fertigation with 5 kg Urea, 3 kg DAP and 5 kg MOP per acre for adult plantation.
- Basal application of fertilizer @ Urea 650 gms, SSP 940 gms, MOP 500 gms per palm or as per soil and leaf nutrient analysis may be adopted in adult oil palm plantations.
- Practice ablation with ablation tool in juvenile plantations up to 3 years.
- Mulch with shredded leaves, male inflorescence and empty fruit bunches in the palm basin.
- Harvest bunches with chisel in small plantations and sickle attached with aluminium pole in aged plantations. Leave only 5 cm bunch stalk while harvesting.
- Don't cut and Don't tie the leaves**